All figures are based on last aircraft update of 16.Aug.2026 (TAH: 42272:28 TAC: 39237)

Description	Part Number	Serial Number	Aircraft	Installation Date	Installation TAH	Installation TAC	Position	Actual Rating
ENGINE ASSY	CFM56-3C1	856338	SDG	23.Feb.2026	42200:30	39206	RH	A

Expected-Date	TSN	CSN	TSO	CSO	TSI	CSI	TSR	CSR
31.Aug.2026	71502:25	42547	Not Perf.	Not Perf.	71:58	31	185:25	74

Module Status:

Position	Description	Part Number	Serial Number	TSN	CSN	CSO	TSO	TSI	CSI	TSR	CSR

LLP Status:

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
	LPT CONICAL SUPPORT	305-056-116-0	BB172195	30517:25	22698	C	A	74	25,000	2,302 (9.21%)
						C	B	22,624	25,000	2,302 (9.21%)
						C	C	0	25,000	2,302 (9.21%)
						C	Other1	0	25,000	2,302 (9.21%)
	LPT 3RD STAGE DISK	301-331-322-0	BB224012	26885:25	17581	C	A	3,121	25,000	7,419 (29.68%)
						C	B	13,953	25,000	7,419 (29.68%)
						C	C	507	25,000	7,419 (29.68%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	Other1	0	25,000	7,419 (29.68%)
	SEAL-ROTATING AIR HPT	1282M72P05	GWNSA199	23025:25	14182	C	2C	0	13,100	1,678 (12.81%)
						C	A	1,971	20,000	2,562 (12.81%)
						C	B	12,050	15,800	2,024 (12.81%)
						C	C	161	15,100	1,934 (12.81%)
						C	Other1	0	15,100	1,934 (12.81%)
	HPC DISK STG 3	1590M59P01	XAEG1834	27751:25	17680	C	A	74	20,000	2,320 (11.60%)
						C	B	17,526	20,000	2,320 (11.60%)
						C	B22	0	20,000	2,320 (11.60%)
						C	B24	0	20,000	2,320 (11.60%)
						C	B26	0	20,000	2,320 (11.60%)
						C	B27	0	20,000	2,320 (11.60%)
						C	C	80	20,000	2,320 (11.60%)
						C	Other1	0	20,000	2,320 (11.60%)
	HPC SHAFT-CPRSR ROTOR	1275M37P02	GWN0E0L7	27751:25	17680	C	A	74	20,000	2,320 (11.60%)
						C	B	17,526	20,000	2,320 (11.60%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	C	80	20,000	2,320 (11.60%)
						C	Other1	0	20,000	2,320 (11.60%)
	HPC SPOOL-STAGES 1 AND 2	1589M66G02	GWN0DM8K	27751:25	17680	C	A	74	20,000	2,320 (11.60%)
						C	B	17,526	20,000	2,320 (11.60%)
						C	C	80	20,000	2,320 (11.60%)
						C	Other1	0	20,000	2,320 (11.60%)
	HPC SEAL-ROTATING AIR	1319M25P02	GFF59KRT	22174:25	15339	C	A	9,648	20,000	2,939 (14.70%)
						C	B	791	18,000	2,645 (14.70%)
						C	C	4,900	15,000	2,204 (14.70%)
						C	Other1	0	15,000	2,204 (14.70%)
	DISK-HPT ROTOR	1475M29P02	GWNGJ960	31914:25	17455	C	2C	0	16,600	2,112 (12.73%)
						C	A	17,455	20,000	2,545 (12.72%)
						C	B	0	18,500	2,354 (12.73%)
						C	C	0	16,600	2,112 (12.73%)
						C	Other1	0	16,600	2,112 (12.73%)
	HPC SPOOL STG-4-9	1588M89G03	GWN0E1LP	27751:25	17680	C	5B	0	15,600	1,793 (11.49%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	A	74	20,000	2,298 (11.49%)
						C	B	17,526	20,000	2,298 (11.49%)
						C	B22	0	20,000	2,298 (11.49%)
						C	B24	0	20,000	2,298 (11.49%)
						C	B26	0	20,000	2,298 (11.49%)
						C	B27	0	20,000	2,298 (11.49%)
						C	C	80	15,800	1,816 (11.49%)
						C	Other1	0	15,800	1,816 (11.49%)
	SHAFT - HPT REAR	1864M91P02	DED83086	28383:25	17085	C	A	74	20,000	2,915 (14.57%)
						C	B	17,011	20,000	2,915 (14.57%)
						C	C	0	20,000	2,915 (14.57%)
						C	Other1	0	20,000	2,915 (14.57%)
	SHAFT - HPT	1385M90P04	XAE64327	25871:25	17075	C	2C	0	20,000	2,925 (14.63%)
						C	A	17,075	20,000	2,925 (14.63%)
						C	B	0	17,300	2,530 (14.63%)
						C	C	0	17,000	2,486 (14.63%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	Other1	0	17,000	2,486 (14.63%)
	DISK ASSY-FAN RTR STG 1	335-014-511-0	BB935874	21807:25	15242	C	A	9,300	30,000	13,540 (45.14%)
						C	B	5,942	24,900	11,239 (45.14%)
						C	C	0	20,100	9,072 (45.14%)
						C	Other1	0	20,100	9,072 (45.14%)
	FAN BOOSTER SPOOL	335-009-306-0	DA738640	36582:25	27694	C	A	21,752	30,000	2,306 (7.69%)
						C	B	5,942	30,000	2,306 (7.69%)
						C	C	0	30,000	2,306 (7.69%)
						C	Other1	0	30,000	2,306 (7.69%)
	LPT 4TH STAGE DISK	301-331-427-0	DB142966	30517:25	22698	C	A	74	25,000	2,302 (9.21%)
						C	B	22,624	25,000	2,302 (9.21%)
						C	C	0	25,000	2,302 (9.21%)
						C	Other1	0	25,000	2,302 (9.21%)
	DISK-LPT ROTOR STG 2	301-331-227-0	R015104	40003:25	22755	C	A	5,877	25,000	2,245 (8.98%)
						C	B	16,878	25,000	2,245 (8.98%)
						C	C	0	25,000	2,245 (8.98%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	Other1	0	25,000	2,245 (8.98%)
	LPT SHAFT	301-330-067-0	LA062495	38807:25	26290	C	A	25,066	30,000	3,710 (12.37%)
						C	B	1,224	30,000	3,710 (12.37%)
						C	C	0	30,000	3,710 (12.37%)
						C	Other1	0	30,000	3,710 (12.37%)
	SHAFT-STUB LPT	301-330-626-0	BA629297	28280:25	19445	C	A	18,226	25,000	5,555 (22.22%)
						C	B	1,219	25,000	5,555 (22.22%)
						C	C	0	25,000	5,555 (22.22%)
						C	Other1	0	25,000	5,555 (22.22%)
	LPT 1ST STAGE DISK	301-331-126-0	BB213520	28517:25	22698	C	A	74	25,000	2,302 (9.21%)
						C	B	22,624	25,000	2,302 (9.21%)
						C	C	0	25,000	2,302 (9.21%)
						C	Other1	0	25,000	2,302 (9.21%)
	FAN SHAFT	335-006-414-0	DA702901	36582:25	27694	C	A	21,752	30,000	2,306 (7.69%)
						C	B	5,942	30,000	2,306 (7.69%)
						C	B22	0	30,000	2,306 (7.69%)

Position	Description	Part Number	Serial Number	TSN	CSN	Dim.	Rating	Utilisation	Life Limit	ToGo
						C	B24	0	30,000	2,306 (7.69%)
						C	B26	0	30,000	2,306 (7.69%)
						C	B27	0	30,000	2,306 (7.69%)
						C	C	0	30,000	2,306 (7.69%)
						C	Other1	0	30,000	2,306 (7.69%)